

(19) World Intellectual Property
Organization
International Bureau



(43) International Publication Date
29 September 2005 (29.09.2005)

PCT

(10) International Publication Number
WO 2005/089754 A1

(51) International Patent Classification⁷: **A61K 31/4245**,
C07D 413/04, 413/14, A61P 29/00, C07D 403/04, A61K
31/454, 31/4196, C07D 417/04, 498/06, A61K 31/5383,
C07D 417/14, A61K 31/427, 31/422, C07D 513/04,
A61K 31/425

(21) International Application Number:
PCT/EP2005/050833

(22) International Filing Date: 28 February 2005 (28.02.2005)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
60/550,563 5 March 2004 (05.03.2004) US
04100902.8 5 March 2004 (05.03.2004) EP
04103901.7 12 August 2004 (12.08.2004) EP

(71) Applicant (for all designated States except US): **AKZO
NOBEL N.V.** [NL/NL]; Velperweg 76, NL-6824 BM Am-
hem (NL).

(72) Inventors; and

(75) Inventors/Applicants (for US only): **ADAM-WOR-
RALL, Julia** [GB/GB]; c/o: Organon Laboratories Ltd.,
New Edinburgh Road, Newhouse Lanarkshire ML1
5SH (GB). **MORRISON, Angus John** [GB/GB]; c/o
Organon Laboratories Ltd., New Edinburgh Road, New-
house Lanarkshire ML1 5SH (GB). **WISHART, Grant**

[GB/GB]; c/o Organon Laboratories Ltd, New Edinburgh
Road, Newhouse Lanarkshire ML1 5 SH (GB). **KIYOI,
Takao** [JP/GB]; c/o Organon Laboratories Ltd, New
Edinburgh Road, Newhouse Lanarkshire ML1 5SH (GB).
MCARTHUR, Duncan, Robert [GB/GB]; c/o Organon
Laboratories Ltd, New Edinburgh Road, Newhouse La-
narkshire ML1 5SH (GB).


(74) Agent: **VAN WEZENBEEK, P.M.G.F.**; P.O. Box 20,
NL-5340 BH Oss (NL).

(81) Designated States (unless otherwise indicated, for every
kind of national protection available): AE, AG, AL, AM,
AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN,
CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI,
GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE,
KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD,
MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG,
PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SM, SY, TJ,
TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA,
ZM, ZW.

(84) Designated States (unless otherwise indicated, for every
kind of regional protection available): ARIPO (BW, GH,
GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM,
ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM),
European (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI,
FR, GB, GR, HU, IE, IS, IT, LT, LU, MC, NL, PL, PT, RO,

[Continued on next page]

(54) Title: (INDOL-3-YL)-HETEROCYCLE DERIVATIVES AS AGONISTS OF THE CANNABINOID CB1 RECEPTOR



(I)

(57) Abstract: The invention relates to (indol-3-yl)-heterocycle derivatives having general Formula (I) wherein A represents a 5-membered aromatic heterocyclic ring, wherein X₁, X₂ and X₃ are independently selected from N, O, S and CR; R is H or (C₁₋₄)alkyl; or R, when present in X₂ or X₃, may form together with R₃ a 5-8 membered ring; R₁ is a 5-8 membered saturated carbocyclic ring, optionally containing a heteroatom selected from O and S; R₂ is H, CH₃ or CH₂-CH₃, or R₂ is joined together with R₇ to form a 6-membered ring, optionally containing a heteroatom selected from O and S, and which heteroatom is bonded to the 7-position of the indole ring; R₃ and R₄ are independently H, (C₁₋₆)alkyl or (C₃₋₇)cycloalkyl, the alkyl groups being optionally substituted with OH, (C₁₋₄)alkyloxy, (C₁₋₄)alkylthio, (C₁₋₄)alkyl-sulfonyl, CN or halogen; or R₃ together with R₄ and the N to which they are bonded form a 4-8 membered ring optionally containing a further het-

eroatom selected from O and S, and which is optionally substituted with OH, (C₁₋₄)alkyl, (C₁₋₄)alkyloxy, (C₁₋₄)alkyloxy-(C₁₋₄)alkyl, or halogen; or R₃ together with R₅ forms a 4-8 membered ring optionally containing a further heteroatom selected from O and S, and which is optionally substituted with OH, (C₁₋₄)alkyl, (C₁₋₄)alkyloxy, (C₁₋₄)alkyloxy-(C₁₋₄)alkyl, or halogen; or R₃ together with R, when present in X₂ or X₃, forms a 5-8 membered ring; R₅ is H or (C₁₋₄)alkyl; or R₅ together with R₃ forms a 4-8 membered ring optionally containing a further heteroatom selected from O and S, and which is optionally substituted with OH, (C₁₋₄)alkyl, (C₁₋₄)alkyloxy, (C₁₋₄)alkyloxy-(C₁₋₄)alkyl, or halogen; R₅' is H or (C₁₋₄)alkyl; R₆ represents 1-3 substituents independently selected from H, (C₁₋₄)alkyl, (C₁₋₄)alkyloxy, CN and halogen; R₇ is H, (C₁₋₄)alkyl, (C₁₋₄)alkyloxy, CN or halogen; or R₇ is joined together with R₂ to form a 6-membered ring, optionally containing a further heteroatom selected from O and S, and which heteroatom is bonded to the 7-position of the indole ring; or a pharmaceutically acceptable salt thereof, as agonists of the cannabinoid CB1 receptor, which can be used in the treatment of pain such as for example peri-operative pain, chronic pain, neuropathic pain, cancer pain and pain and spasticity associated with multiple sclerosis.



SE, SI, SK, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

Published:

— *with international search report*